
目录 DIRECTORY

EMRM圆刃立铣刀Corner Rounding End Mils(EMRM) TRSM圆刃立铣刀Corner Rounding End Mills (TRSM)	B001
BAPM直角台肩立铣刀 Shoulder/Cutting End Mills (BAPM) AHUM直角台肩立铣刀 Shoulder/Cutting End Mills (AHUM)	B002
TJUM 铣刀 Boring & Milling Cutter (TJUM) T2139M 球型精铣刀 Ball Precision Cutters (T2139M)	B003
BT-MFT锁牙式刀柄 BT/MFT Screwed end mills holder	B004
MFT 钨钢锁牙式刀杆 MFT Carbide screwed end mills holder	B005
AJX快进给面铣刀盘 AJX High feedrate face mill	B006
TXP快进给面铣刀盘 TXP High feedrate face mill	B007
SKS快进给面铣刀盘 SKS High feedrate face mill	B008
ASR快进给面铣刀盘 ASR/ASRT High feedrate face mill	B009
BAP快进给面铣刀盘 BAP Right angle shoulder face mill	B010
AHUB直角台肩壳形铣刀 AHUB Right angle shoulder face mill	B011
FMR圆鼻面铣刀盘 FMR Round dowel face mill	B012
FMRC 圆鼻面铣刀盘 FMRC Round dowel face mill	B013
FMRD 圆鼻面铣刀盘 FMRD Round dowel face mill	B014
FMRT 圆鼻面铣刀盘 FMRT Round dowel face mill	B015
KM-45° 面铣刀盘 KM-45° Face mill	B016
RAP-75° 面铣刀盘 RAP-75° face mill	B017
FM90° 面铣刀盘 Fm90° Face mill	B018
R390直角台肩面铣刀盘 R390 Right angle shoulder face mill	B019
TP直角台肩面铣刀盘 TP Right angle shoulder Face mill	B020
SD45° 面铣刀盘 SD45° Face mill cutter	B021
SE45° 面铣刀盘 SE45° Face mill cutter	B022
SP65° 平面铣刀盘 SP65° Face mill cutter FP75° 平面铣刀盘 FP75° Face mill cutter	B023
APC玉米型粗铣刀盘 APC Shell type tough cutting end mills SPC玉米型粗铣刀盘 SPC shell type tough cutting end mills	B024
ASR直角台肩壳形铣刀 ASR High feedrate end mill	B025
AJX快进给立铣刀 AJX High feedrate end mill	B026
BAP直角台肩铣刀 BAP Right angle shoulder end mill	B027-B028
AHU直角台肩铣刀 AHU Right angle shoulder end mill	B029
R390直角台肩 面铣刀盘 R390 Right angle shoulder face mill	B030
T217.69直角台肩精铣刀 T217.69 Right angle shoulder end mill	B031
FMR圆鼻铣刀 EMR Round downl end mill	B032-B033
FMRC 圆鼻立铣刀 FMRC Round downl end mill	B034
FMRD 圆鼻立铣刀 FMRD Round downl end mill	B035-B036
FMRT 圆鼻铣刀 FMRT Round downl end mill	B037
ASJ-4P钻铣刀 ASJ-4P Borer mill	B038
UEX直角台肩精铣刀 UEX Right angle shoulder end mill	B039
TP台肩精铣刀 TP Shoulder end mill	B040
UEX直角台肩精铣刀 UEX Right angle shoulder end mill	B041
BCF/BCFL球形立铣刀 BCF/BCFL Copy end mill	B042-B043
T2139球形精铣刀 T2139 Copy end fine mill	B044
TP30° /45° /60° 倒角刀 TP30° /45° /60° Chamfer end mill	B045
SD-45° 内外倒角刀 SD-45° Chamfer end mill	B046
倒拉倒角刀 Throw-away back chamfering tool	B047
45° 舍弃式倒角刀 Throw-away chamfer mills	B048
螺丝沉头孔铣刀 Counter-sink bole on sceewof milling cutter	B049
APK 螺丝沉头孔铣刀 APK Rough cutting end mill	B050
SMP三面刃铣刀（卡口型）SMP Side mills	B051
SMP三面刃铣刀（刀盘型）SMP Side mills	B052



一体式刀杆 B
ONE-ARBOR SERIES



优点

高性能可换刀头和钢性刀柄的组合，在系长的加工中亦可有效抑制震动，与传统钢制刀杆相比加工效率提高了2~5倍。加工时间大大缩短，加工成本随、之下降。

刀头的自由组合及其可挨性，覆盖从粗加工的所有加工要求，对刀具的集约化管理具有划时代的意义。


由于刀柄和刀杆采用螺纹连接，可在机床上方便迅速更换刀头，降低生产成本。


High-performance interchangeable cutter head and the knife handle a combination of rigidity, in the long hanging longer processing caneffectively suppress vibration, as compared with traditional steel arbor processing efficiency is improved by 2~5times.
Significantly reduce processing costs drop.

Segment of the free combination and can be changed, coverage from roughing to finishing all the processing requirements, intensive management tool epoch-making significance.

As the shank and arbor with threaded connections, you can easily and quickly on a replacement machine cutter, reduce production costs.

EMRM圆刃立铣刀
Corner Rounding End Mils(EMRM)







型号 Cat.No	尺寸Size ⌀	D	L	d	M	刀片 Insert	压板 Clamp	螺钉 Clamp screw	扳手 Wrench
EMRM-4R-16-M8	2	16	35	8.5	M8	RPMW0802MO	Y-4R	M3×7	T10
EMRM-4R-20-M10	2	20	35	10.5	M10				
EMRM-5R-25-M12	2	25	40	12.5	M12	RPMW1003MO	Y-5R	M4×10 M3.5×10	T15
EMRM-5R-30-M16	2	30	40	17	M16				
EMRM-5R-35-M16	2	35	40	17	M16				
EMRM-6R-30-M16	2	30	40	17	M16	RPMT1204MO	Y-6R	M4×10	T15
EMRM-6R-35-M16	3	35	40	17	M16				

适配三菱MITSUBISHI、黛杰DIJET刀片

TRSM圆刃立铣刀
Corner Rounding End Mills（TRSM）







型号 Cat.No	尺寸Size ⌀	D	L	d	M	刀片 Insert	压板 Clamp	螺钉 Clamp screw	扳手 Wrench
TRSM-4R-16-M8	2	16	35	8.5	M8	RDMT0802MO	Y-4R	M3×7	T10
TRSM-4R-20-M10	2	20	35	10.5	M10				
TRSM-5R-25-M12	2	25	40	12.5	M12	RDMT10T3MO	Y-5R	M3.5×10 M4×9	T15
TRSM-5R-30-M16	2	30	40	17	M16				
TRSM-5R-35-M16	3	35	40	17	M16				

适配日立HITACHI刀片

BAPM直角台肩立铣刀
Shoulder/Cutting End Mills（BAPM）







型号 Cat.No	尺寸Size ⌀	D	L	d	M	刀片 Insert	压板 Clamp	螺钉 Clamp screw	扳手 Wrench
BAPM-16-M8-11	2	16	35	8.5	M8	APMT1135PDER	--	M2.5×6.5	T8
BAPM-20-M10-11	2	20	35	10.5	M10				
BAPM-25-M12-11	3	25	40	12.5	M12				
BAPM-25-M12-16	2	25	40	12.5	M12	APMT1604PDER	--	M4×9	T15
BAPM-30-M16-16	2	30	40	17	M16				
BAPM-35-M16-16	3	35	40	17	M16				

适配三菱MITSUBISHI

AHUM直角台肩立铣刀
Shoulder/Cutting End Mills（AHUM）







型号 Cat.No	尺寸Size ⌀	D	L	d	M	刀片 Insert	螺钉 Clamp screw	扳手 Wrench
AHUM-16-M8-10	2	16	35	8.5	M8	JDMT100308	M2.5×6	T8
AHUM-20-M10-10	2	20	35	10.5	M10			
AHUM-25-M12-11	3	25	40	12.5	M12			
AHUM-25-M12-16	2	25	40	12.5	M12	JDMT150508	M4×9	T15
AHUM-30-M16-16	2	30	40	17	M16			
AHUM-35-M16-16	3	35	40	17	M16			

适配日立HITACHI刀片

TJUM 铣刀
Boring & Milling Cutter（TJUM）







型号 Cat.No	尺寸Size					刀片 Insert	螺钉 Clamp screw	扳手 Wrench
	⚙	D	L	d	M			
TJUM-16-2T-M08	2	16	35	8.5	M8	CCMT060204 CPMT080204Z	T8	M2.5×6
TJUM-20-2T-M10	2	20	35	10.5	M10	CCMT060204 CPMT090204Z	T8/T15	M2.5×6/M3.5×8
TJUM-25-2T-M12	2	25	40	12.5	M12	CPMT090308 CPMT120308Z	T15	M4×9
TJUM-32-2T-M16	2	32	40	17	M16	CPMT120408 CPMT160408Z	T20	M5×12

适配日立HITACHI刀片

T2139M 球型精铣刀
Ball Precision Cutters（T2139M）






型号 Cat.No	尺寸Size					刀片 Insert	螺钉 Clamp screw	扳手 Wrench
	⚙	D	L	d	M			
T2139M-6R-M6	1	12	35	6.5	M6	P320□-D12	T2139-6R	T20
T2139M-8R-M8	1	16	35	8.5	M8	P320□-D16	T2139-8R	T20
T2139M-10R-M10	1	20	35	10.5	M10	P320□-D20	T2139-10R	T20
T2139M-12.5R-M12	1	25	40	12.5	M12	P320□-D25	T2139-12.5R	T30
T2139M-15R-M16	1	30	40	17	M16	P320□-D30	T2139-15R	T30
T2139M-16R-M16	1	32	40	17	M16	P320□-D32	T2139-16R	T30

BT-MFT锁牙式刀柄
BT/MFT Screwed end mills holder





型号 Cat.No	尺寸Size					重量 Weight (KG)
	L	L1	L2	d1	T	
BT40-MFT16-M8-60	160.4	95	60	15	M8	1.1
BT40-MFT16-M8-110	210.4	145	110	15	M8	1.2
BT40-MFT20-M10-60	160.4	95	60	19	M10	1.1
BT40-MFT20-M10-110	210.4	145	110	19	M10	1.2
BT40-MFT25-M12-60	160.4	95	60	24	M12	1.1
BT40-MFT25-M12-120	220.4	155	120	24	M12	1.3
BT40-MFT30-M16-50	150.4	85	50	28	M16	1.2
BT40-MFT30-M16-100	200.4	135	100	28	M16	1.3
BT40-MFT30-M16-140	240.4	175	140	28	M16	1.6
BT40-MFT35-M16-60	160.4	95	60	33	M16	1.3
BT40-MFT35-M16-120	220.4	155	120	33	M16	1.7
BT50-MFT16-M8-60	206.8	105	60	15	M8	3.1
BT50-MFT16-M8-120	266.8	165	120	15	M8	3.2
BT50-MFT20-M10-60	206.8	105	60	19	M10	3.2
BT50-MFT20-M10-120	266.8	165	120	19	M10	3.3
BT50-MFT25-M12-60	206.8	105	60	24	M12	3.3
BT50-MFT25-M12-120	266.8	165	120	24	M12	3.4
BT50-MFT30-M16-60	206.8	105	60	28	M16	3.4
BT50-MFT30-M16-120	266.8	165	120	28	M16	3.5
BT50-MFT35-M16-60	206.8	105	60	33	M16	3.5
BT50-MFT35-M16-120	266.8	165	120	33	M16	3.7

整支通孔利于出水及抗震。

Beneficial to the entire branch water and seismic hole.

MFT 钨钢锁牙式刀杆
MFT Carbide screwed end mills holder





型号 Cat.No	L	M	D2	D
MFT16-16-100-M08	100	M8*1.25	8.5	16
MFT16-16-150-M08	150			
MFT16-16-200-M08	200			
MFT16-16-250-M08	250			
MFT19-19-200-M10	200	M10*1.5	10.5	19
MFT20-20-100-M10	100	M10*1.5	10.5	20
MFT20-20-150-M10	150			
MFT20-20-200-M10	200			
MFT20-20-250-M10	250			
MFT20-20-300-M10	300			
MFT24-24-200-M12	200	M12*1.75	12.5	24
MFT25-25-100-M12	100	M12*1.75	12.5	25
MFT25-25-150-M12	150			
MFT25-25-200-M12	200			
MFT25-25-250-M12	250			
MFT25-25-300-M12	300			
MFT29-29-250-M16	250	M16*2.0	17	29
MFT32-32-150-M16	150	M16*2.0	17	32
MFT32-32-200-M16	200			
MFT32-32-250-M16	250			
MFT32-32-300-M16	300			
MFT32-32-400-M16	400			